

PRODUCT CATALOG EDITION 5



OUR STORY

We've grown far beyond what started in the 1970's as a task force to revolutionize protective equipment. Today, we protect you for life's best moments.

Our disruptive innovation paired with our inherited knowledge of heavy industries has transformed the quality of lives and businesses. Our charitable initiatives raise over \$150,000 annually to help ensure no family is left behind. The Green Forces is now the fastest-growing elite industrial community in the world.

Enter the RPB[®] armory, the world's most advanced front-line armor for industry professionals consisting of supplied and powered air respirators, air monitoring, filtration and safety essentials, designed to advance your safety and increase your productivity.

As we embark on a new frontier in industry, join us in helping build a better future for the new generation of elite operators and enterprises.

GLOBAL NETWORK

RPB® has a global network of distributors serviced from our Michigan Head Office and satellite offices in New Zealand and the United Kingdom.

Contact us on (866) 494-4599 (USA), +1 (248) 591 4000 (International) or visit rpbsafety.com/find-your-distributor/ to find your nearest distributor.

opyright ©2018 RPB Safety, LLC. All rights reserved.

n are protected. In a reprotected by United States copyright law and may not be reproduced, shed or broadcast without the prior written permission of RPB Safety, LLC. distributed, transmitted, displayed, published or broadcast without the prior written permission ol You may not alter or remove any trademark, copyright or other notice from copies of the content

All trademarks, service marks, and logos used in this publication, both registered and unregistered, are the trademarks, service marks, or logos of their respective owners. The green and gray color combination is a registered trademark of RPB Safety, LCC All rights in the RPB Intellectual Property contained in this publication, including copyright, trademarks, service marks, trade secret, and patent rights are reserved. RPB Intellectual Property means any patent, patented articles, patent applications, designs, industrial designs, copyrights, software, source code, database rights, moral rights, inventions, techniques, technical data, trade secrets, know-how, brands, trademarks, trade names, slogans, logos, and any other common law and proprietary rights, whether registered or unregistered anywhere in the world, that are owned by, developed in whole or in part by, or licensed by RPB Safety, LLC.

Tychem® and Nomex® are registered trademarks of E.I. du Pont de Nemours and Company or its affiliates.



CONTENTS



RESPIRATORS

- 6 Z-Link®
- 22 Link Accessories
- **30** Z4[®]
- 40 Z3[™] Welder
- 50 Z100[™] Series
- **58** Nova 3®
- 70 Nova 3® Talk™
- **78** L4™ Light
- 86 Nova 2000®
- **96** Nova 2000® Talk[™]
- **104** Nova 1®
- **116** Nova 1® Talk[™]
- **124** Astro™
- **134** T-Link[™]
- **146** T100[™] Series
- **156** T150[™] Series

AIR MONITORING FILTRATION AND SUPPLY

166 PX4 Air® PAPR
176 GX4® Gas Monitor
186 Radex® Airline Filter
200 Radex® Ambient Air Pump
202 Air Supply
206 C40[™] Climate Control Device
214 Flow Control

SAFETY ESSENTIALS

- 226 Blast Suit
- 232 Safety Glasses
- 233 Do-rag
- 233 Earmuffs
- 233 Head Sock
- 233 Knee Pads
- **233** Leather Blasting Gloves
- **233** S100[™] Ear Plugs

PARTS INDEX

236 Full Parts Index

כלקח



Z-LINK®

ELITE MULTI-PURPOSE RESPIRATORY PROTECTION

6



Z-LINK®



ELITE MULTI-PURPOSE RESPIRATORY PROTECTION

The RPB® Z-Link® is more than a product. It's a system. The most versatile multi-purpose respirator on the planet. From welding and grinding to chemical handling, the Z-Link® serves the widest spectrum of industries and applications on the market.

The Z-Link®'s large visor enables you to operate with a widened perspective. It features exceptional downward and peripheral vision combined with a visor that hinges open for free air breathing and easy communication. Engineered to advance your safety. Designed to increase your productivity.

Inspired by military innovation, our R&D Special Ops Unit has relentlessly refined every last detail. The team has traveled the world to meet with and listen to operators. Ultimately, these refinements have enabled RPB® users to work smarter, not harder. Save crucial energy, time and costs in competitive industry environments, where elite protective equipment is often overlooked.

The Z-Link® is certified to the standards below and conforms to AS/NZS 1716:2012, AS/NZS 1336:2014, AS/NZS 1801:1997.





AS/NZS 1801

HARD HAT

PROTECTION


AS/NZS CONFORMS TO AS/NZS 1716:2012

> RESPIRATORY PROTECTION



FOR EYE & FACE

ANSI Z87+ EN166:2002 AS/NZS 1337.1



Visor lifts open.

Reversible brow pad

comfort (fluffy) finish.


allows the choice of soft

touch (smooth) or optimum

airflow adjustment.

Air deflector for

secure cape attachment.



The first padded multi-purpose respirator on the planet. A fully-adjustable Comfort-Link™ 👘 Fit System allowing for total control on helmet and head placement including the 360-degree adjustable head band and reversible brow pad.

1-866-494-4599 | rpbsafety.com





*From local and globally sourced components.

Choice of 6 Anti-Fog and Scratch Resistant ANSI Z87+ visors: Premium Clear, Green Tint (Shade 3), Green Tint (Shade 5), Yellow Tint, Black Tint and Mirror Tint.

3 cape materials available: Tychem[®] 2000, Tychem[®] 4000 or Zytec® FR.



Z-LINK+®



ELITE MULTI-PURPOSE RESPIRATORY PROTECTION

The RPB[®] Z-Link+[®] is the result of extensive user testing in demanding welding environments. Elite welding professionals benefit from reduced downtime and fatigue and increased productivity.

As the Z-Link+[®] clips directly onto your main visor, you can seamlessly weld with crystal-clear vision and the ability to lift up your visor to check welds and instantly begin grinding.

The Z-Link+[®] includes the large RPB[®] ADF lens with the 1.1.1.1. rating in optical quality. The all-important fourth "1", advanced angular dependence control, guarantees uniform shading and distortion-free vision, allowing you to work comfortably and effortlessly for hours across different angles.

In addition to the Z-Link® certifications, the Z-Link+® is certified to the standards below.



PROTECTION





The Z-Link+[®] clips directly onto your main visor, enabling you to lift up your visor to check welds and to instantly begin grinding. For extended periods of grinding the visor is easily removed at the hinge points.

1-866-494-4599 | rpbsafety.com

Replaceable impact lens and removable ADF lens.

 \frown

Visor lifter to easily raise and lower the welding visor.

The Z-Link+® weld visor weighs only 1.87lb (0.85kg).

5.5



*From local and globally sourced components.

1111111111111111111



Large welding auto darkening filter with a 1.1.1.1 rating.

For extended periods of grinding the visor is easily removed at the hinge points.











Z-LINK® PACKAGES

Z-LINK[®] PARTS



1-866-494-4599 | rpbsafety.com

Z-LINK[®] PARTS

Brow Pad Part # 16-526



Ratchet Assembly

Part # 16-530

Side Padding System
Part # 16-520-S

Head Harness (includes 16-530) Part **# 16-531** Lens Seal Part # 16-515 Earmuff Bracket (pair, includes screws) and 16-515) Part # 16-516 Part # 16-514 111



Side Padding Frames

Part # 16-527







1-866-494-4599 | rpbsafety.com

RESPIRATORS | 국 | Z-LINK® - PARTS

Z-LINK® PARTS



`______

1-866-494-4599 | rpbsafety.com

RESPIRATORS |ଘଁ| Z-LINK[®] - PARTS

rpb

Z-LINK® PARTS



`______

RESPIRATORS N Z-LINK* - PARTS

1-866-494-4599 | rpbsafety.com


LINK ACCESSORIES

ADVANCED ACCESSORIES FOR YOUR Z4°, T-LINK° & Z-LINK°



COMMS-LINK[™] PARTS

Available for Z4™, T-Link™ and Z-Link®





RESPIRATORS BG COMMS-LINK"- PARTS

rpb

VISION-LINK[™] PARTS

Available for Z4[™], T-Link[™] and Z-Link[®]



1-866-494-4599 | rpbsafety.com





1-866-494-4599 | rpbsafety.com

Z4®

ELITE WELDING & RESPIRATORY PROTECTION





ELITE WELDING & RESPIRATORY PROTECTION

Designed with the primary focus on user comfort, the RPB® Z4® is your premium welding/grinding respirator. The head harness and visor were carefully developed for optimum weight distribution, resulting in the most ergonomically balanced welding respirator on the market!

The Z4[®] comprises a crystal-clear grinding visor and a flip-up welding visor which you can lift to check welds and instantly begin grinding. Both shade 5 peripheral windows and opaque window blockers are included in the standard packages.

The Z4[®] is fitted with our large ADF lens boasting an optical quality rating of 1.1.1.1 with the all-important fourth "1". Advanced angular dependence control guarantees uniform shading and distortion-free vision, allowing operators to work comfortably across different angles as required.

To further increase your comfort, the Z4[®] can also be fitted with the Comfort-Link™ padding system.

The Z4® is certified to the standards below and conforms to the AS/NZS 1716:2012, AS/NZS 1336:2014, AS/NZS 1801:1997.



N4

32

RES

ATORS

AS/NZS CONFORMS TO AS/NZS 1716:2012 RESPIRATORY

PROTECTION

ANSI Z87+ ANSI Z87W EN166:2002 AS/NZS 1337.1 EN379:2003 +A1:2009 AS/NZS 1338.1:2012 HIGH VELOCITY IMPACT FOR EYE & FACE

WELDING EYE PROTECTION

Flip up welding visor for optimum vision during grinding.

Comfortable multiadjustment head suspension system.

Replaceable impact lens.

Clear replaceable grinding lens - ANSI 87+ approved.

Lightweight helmet 19.2 ounces (550g) without ADF.

Aerodynamic shell designed for greater fume deflection.



*From local and globally sourced components.

DUAL AIR DISTRIBUTION SYSTEM

Delivered through the dual air distribution system, air flows over the grinding visor to eliminate fogging and to your breathe zone via an adjustable air deflector allowing you to control the direction of the incoming air.

1-866-494-4599 | rpbsafety.com





Replaceable impact lens and removable ADF lens.

Comfort-link[™] padding system (optional).

Air is directed over the visor as well as the face via the dual air deflector.

Streamline air direction - the operator can adjust the direction of airflow.

> FR rated head cover and cape.







Z4® PX4 Air® PAPR PX4 Air® Breathing Tube (for Z4®) Face Seal Part # 15-019-11-FR

For more package options please visit **rpbsafety.com/z4** Other packages include:









Z4°-PARTS (සි RESPIRATORS

Weld Visor Assembly (includes 16-672 and 15-821) **Part # 15-812**

> Magnifying Lens Holder Part # 16-875



כלקח

Z4[®] PARTS

Front Cape Clip Cover Part # 15-831



PX4 Air® Breathing Tube (for Z4®) Part # 04-837



FR Face Seal Part # 15-711



FR Shoulder Cape

Part # 15-721







Side Pad Mounts (pair)

Part # 15-148

Head Harness Bracket and Adjustment System
Part # 15-830

Comfort Side Padding System Part # 15-848

1-866-494-4599 | rpbsafety.com



RESPIRATORS | ଜ Z4®-PARTS

Z3" WELDER

ULTIMATE RESPIRATORY PROTECTION & OPTICAL QUALITY



Z3[™] WELDER



ULTIMATE RESPIRATORY PROTECTION & OPTICAL QUALITY

As the predecessor to the new, multi-purpose Z-Link+[®], the RPB[®] Z3[™] Welder combines respiratory protection with breakthrough optical technology.

Proven to deliver welding professionals with a comfortable working environment, the Z3[™] Welder exceeds the demands of the most quality-conscious companies, while surpassing the most rigorous industry standards.

Advance your workplace safety with a product that boasts a range of truly unique design and engineering features. The Z3[™] can withstand extreme temperatures without distortion due to the high performance nylon shell construction. The adjustable airflow disperser means that you can operate in a comfortable and fume-free breathing zone.

The Z3[™] Welder includes the RPB[®] OCV filter with advanced angular dependence control providing uniform shading and distortion free vision to work comfortably across different angles. It features superior color definition in both open and activated states, allowing you to easily identify heat definition and displays on equipment.

The Z3[™] has been rigorously tested through conventional safety testing methods in addition to field testing. It certified to the standards below and conforms to AS/NZS 1716:2012.





ANSI Z87+

EN166:2002

AS/NZS CONFORMS TO AS/NZS 1716:2012

AS/NZS 1337.1 RESPIRATORY HIGH VELOCITY IMPACT FOR EYE & FACE PROTECTION

EN379:2003 +A1:2009 AS/NZS 1338.1:2012 WELDING EYE PROTECTION

ANSI Z87W

ADJUSTABLE AIR FLOW The Z3[™] adjustable direction airflow provides clearer vision and less downtime.

1-866-494-4599 | rpbsafety.com





Lightweight helmet 14.1 ounces (399g) without ADF.

Hose support to help keep balance and free movement of head.

Heat reflecting, light gray shell manufactured from high temperature impact nylon.

...

Smooth rounded edge for additional comfort.



Z3[™] WELDER PACKAGES

Z3" WEL

PACKAGES

44



rpb

Z3[™] WELDER

Z3[™] WELDER PARTS

OPEN STATE RPB® OCV COLOR DEFINITION

The OCV Filter range offers superior color definition in both the open and activated state, allowing the operator to clearly see LED displays on machines and equipment, as well as heat definition on the actual weld.






CLOSED STATE RPB® OCV OPTICAL QUALITY


The OCV filter boasts a 1/1/1/1 optical quality rating which is the world's best. This means a clear view from a wider range of angles, reducing eye fatigue and increasing your productivity.






40% MORE VIEWING WITH THE RPB® OCV ULTRA ADF (110X110)

- Viewing Area: 10.1 square inches (3.78" x 2.68")
 Light state: Shade 4. Dark state: Selectable shades 9-13
- Fast, reliable switching speed: 0.15ms at 73°F / 23°C
- Adjustable delay from dark to light (0.2 to 0.8 seconds)
- Weight (ADF only): 5.64 oz / 160g. Temperature range: 14°F to 140°F / -10°C to +60°C
- 3 year warranty
- 2 Sensors: it is the quality not the quantity of sensors that provide the fast reaction time of the filter
- Sensitivity and delay adjustment on case
- Highest quality wide view ADF available
- Constant UV/IR protection
- Accommodates standard 4" x 5" front cover lens
- Adapts to standard magnifying lens
- Solar powered
- Best optical quality in industry 1/1/1/1 DIN Rating
- Suitable for all types of electro-arc welding, including covered electrodes, MIG/MAG, TIG/WIG, plasma welding and cutting. NOT FOR LASER OR GAS WELDING.







Head Harness Part **# 13-042**



WELDER 4 RESPIRATORS

N

1-866-494-4599 | rpbsafety.com

Supplied Air Breathing Tube (for Z3™) Part # 03-031 PX4 Air® Breathing Tube (for Z3™) Part # 04-839 Hose Holder Part # 13-041

RESPIRATORS 23" WELDER - PARTS

rpb

Z3[™] WELDER PARTS



`______

Hard Hat (includes 13-045)

Flex Face Seal Part # 13-323



Z100[™] SERIES

LIGHTWEIGHT PROTECTION WITH SAFETY AT THE FOREFRONT

rpi

MADE: N



Z100[™] SERIES

LIGHTWEIGHT PROTECTION WITH SAFETY AT THE FOREFRONT

The RPB $^{\otimes}$ Z100 $^{\times}$ Series is the leading cost-effective replaceable and disposable armor on the market.

The Z100[™] is manufactured from RPB[®] Zytec[®] Fabric. It is a lightweight hood that offers superior comfort in comparison with conventional, tight, full-face respirators. The hood protects the operator's entire head, eliminating the need for a head sock.

Used throughout a variety of industries from grinding to brazing, the Z100[™] is equally lightweight as it is economical. Without incurring significant additional expenses, operators benefit from the Z100[™]'s advanced safety and superior quality while increasing productivity.

Additionally, users with facial hair commonly convert to this loose-fitting respirator, without jeopardizing or compromising on protection.



ANSI Z89.1 ANSI Z87+

EN379:2003 +A1:2009 AS/NZS 1801 HARD HAT H PROTECTION

EN166:2002 AS/NZS 1337.1 HIGH VELOCITY IMPACT FOR EYE & FACE

rpb

Quick release breathing tube clip provides security and is easily replaced.

RPB[®] Zytec[®] flame resistant material designed for use in extreme environments.

SAVE TIME & MONEY

With the loose-fitting Z100[™] Respirator, there is no need for time consuming fit testing, saving you time and money while maintaining OSHA compliance.

1-866-494-4599 | rpbsafety.com

Made in USA

Z100



Loop allows for easy storage.

Air duct directs the airflow to the operator's breathing zone.

Large lens, providing excellent peripheral and downward vision.

Extra tuck in collar to direct the airflow over the upper body, providing additional comfort.

לכןי



Z100[™] SERIES PACKAGES

126-2-3



For more package options please visit **rpbsafety.com/z100-series** Other packages include:




1-866-494-4599 | rpbsafety.com





RESPIRATORS | 2100

Z100[™] SERIES PARTS



1-866-494-4599 | rpbsafety.com

(includes 07-125 Hard Hat Clip)





NOVA 3[®]

THE WORLD'S MOST ADVANCED HEAVY INDUSTRY RESPIRATOR



KEVA

NOVA 3[®]



THE WORLD'S MOST ADVANCED HEAVY INDUSTRY RESPIRATOR

The verdict is in: the RPB® Nova 3® respirator has been heralded as the industry's definitive benchmark in abrasive blasting.

With breakthrough protection technology and previously unseen advanced comfort and functionality features, the Nova 3® is designed to advance safety and productivity.

For over 40 years, users have been choosing RPB® respirators as the most comfortable across a number of industries. Operators claim the Nova 3® is the lightest and most comfortable heavy industry respirator they've ever used. It's unique weight distribution design distributes the helmet's weight evenly across the head and shoulders for optimum comfort and movability.

A ratchet adjustable neck pad ensures appropriate head support. The molded inner 'Clever Fit Padding' design (patent pending) helps absorb sound, protect hearing and is fully adjustable. It allows for unique customization to correctly fit all users and is easily removable and washable.

Although many claim safety is paramount, we walk the talk. The Nova 3® has been rigorously tested in both controlled and field testing environments - the results speak for themselves. It is certified to the standards below and conforms to AS/NZS 1716:2012, AS/NZS 1336:2014, AS/NZS 1801:1997.



C€0194 EN14594:2005 EN12941:1998 +A1:2003+A2:2008 TH3 P R SL

PROTECTION

AS/NZS CONFORMS TO AS/NZS 1716:2012

RESPIRATORY PROTECTION

which have pre-folded tabs.



ANSI Z87+

BOOST PRODUCTIVITY RPB®'s NV3-745 cassette lens is a unique system of one outer lens fused with five tear-off lenses



Tough, high-pressure injection molded helmet shell, manufactured from engineering grade nylon.

> Bellow seal creates a complete barrier to dust and particulates.

Large panoramic window that provides optimum downward and peripheral vision.

Cape is securely attached with an fasteners



*From local and globally sourced components.

Nova 3[®] shown with optional L4 light.

1-866-494-4599 | rpbsafety.com

Streamlined air system that directs air to the breathe zone, reducing lens fogging and eliminating head chill.

> Light gray helmet surface reflects heat while the vibrant green visor ensures visibility.

> > Ratchet adjustable padding system creates secure custom fit.

> > > Large, glove sized latch that is easy to locate and use.

Removable visor for efficient lens replacement.

> Clip on cape seal stops abrasives and dust entering the helmet.







For more package options please visit **rpbsafety.com/nova-3** Other packages include:



rpb

NOVA 3[®] PARTS



`_____

1-866-494-4599 | rpbsafety.com

RESPIRATORS 9 NOVA 3°-PARTS

NOVA 3° PARTS




`______



RESPIRATORS Q NOVA 3°-PARTS

כלקח

NOVA 3[®] PARTS



RESPIRATORS 00 NOVA 3°-PARTS

NOVA 3[®] TALK[™]

ADVANCED IN-HELMET COMMUNICATION SYSTEM

Ľ



NOVA 3[®] TALK[™]

NOVA 3[®] TALK[™] PARTS



ADVANCED IN-HELMET COMMUNICATION SYSTEM

Communicate effortlessly and safely with your fellow blasters, pot tenders and team members, without having to stop what you're doing.

The undisputed champion of industrial team radio, the RPB® Nova 3® Talk™ has transformed the productivity, communication and safety of operators and businesses worldwide. The Nova 3® Talk™ is a wireless communication system, ideal for users in remote locations such as crews in tanks, shipyards, water towers and any area that is difficult to access. The Nova 3® Talk™ offers users features that include push to talk simplicity, a noise-cancelling microphone, pillow foam padding, multiple harness options and much more.



R-Tex High Noise Headset (includes PTT, radio not supplied) Part # 09-916





NOVA 3[®] TALK[™] PARTS



Side Padding Covers (for Nova 3® Talk™, 5 pairs) **Part # NV3-733TK**



1-866-494-4599 | rpbsafety.com



RESPIRATORS

rpb

NOVA 3[®] TALK[™] PARTS

NOVA 3® TALK[™] SPECIFICATIONS


Motorola Connection Cable (multi-pin) Part # 09-931



(two-pin) Part # 09-933



Motorola Connection Cable (multi-pin) Part # 09-932





Motorola Connection Cable (two-pin)

Part # 09-930

MOTOROLA MULTI-PIN RADIO MODELS

MOTOROLA TWO-PIN RADIO MODELS

CBPRO, GP1280, GP140, GP320, GP328, GP329, GP338, GP339, GP340, GP360, GP380, GP640, GP650, GP680, GP960, HT1250, HT1250LS, HT1550, HT1550XLS, HT750, JT1000, MTX8250, MTX8250LS, MTX850, MTX850LS, MTX9250, MTX950, PR860, PR05150, PR05350, PR05450, PR05550, PR05750, PR07150, PR07350, PR07450, PR07550, PR07750, PR09150, PTX700, PTX760, PTX780.

PART # 09-931

XV2100, XV2600. PART # 09-930

Turbo, APX 7000, XPR6300, XPR6500, XPR6550, APX7500. Part # 09-932

GP900, GP9000, HT1000, MT1500, MT2000, MTS2000, MTX8000, MTX838, MTX900, MTX9000, MTX960, MTXLS, PRI500, X1500, XTS1500, XTS2000,

XTS2500, XTS3000, XTS3500, XTS5000, GP1200. Part # 09-934

KENWOOD TWO-PIN RADIO MODELS

Part # 09-933

1-866-494-4599 | rpbsafety.com

NOVA 3°

AXU4100, AXV5100, BPR40, CLS1110, CLS1410, CLS1413, CLS1450C, CLS1453C, CP100, CP150, CP185, CP200, CP88, CT125, CT150, CT250, CT450, CT450LS, DTR, DTR410, DTR550, DTR650, GP200, GP2000, GP300, GP308, GP68, GP88, GTI, GTX, LTS2000, PO40, PO80, P110, P1225, P1225LS, P200, P2000, PR400, RDK, RDU, RDU2020, RDU2080D, RDU4100, RDU4160D, RDV, RDV2020, RDV2080D, RDV5100, SP10, SP21, SP50, VL50, XTN, XTN446, XTN500, XTN600, XU1100, XU2100, XU2600, XV1100,



TH-22AT, TH-235A, TH-28A, TH-42AT, TH-48A, TH-77A, TH-78A, TH-D7A(G), TH-F6, TH-6A,TH-G71A, TH-K2AT, TK-2100, TK-2102,TK-2130, TK-2160, TK-2170, TK-220, TK-2000,TK-2200LP, TK-2212L, TK-230VK, TK-240, TK-240D, TK-248, TK-250, TK-260, TK-260D,TK-260G, TK-270, TK-270G, TK-272G, TK-308, TK-3100, TK-3101, TK-3102, TK-3130, TK-3131, TK-3160, TK-3170, TK-3173, TK-320, TK-3200, TK-3200LP, TK-3212L, TK-3230, TK-3230XLS, TK-3302UK, TK-340, TK-340D, TK-348, TK-350, TK-353, TK-360, TK-360G, TK-370, TK-370G, TK-372G, TK-373, TK-430, TK-431, TK-2312, TK-3312.



NOTE: If the radio you are looking for is not in the above list, contact us Toll Free on 1-866-494-4599 as there is a chance we may be able to find a cable to suit.



L4[™] LIGHT

ADVANCED HELMET LIGHTING SYSTEM



7~

L4[™] LIGHT



ADVANCED HELMET LIGHTING SYSTEM

Blasting in the dark can be awkward and dangerous. The RPB[®] L4[™] Light, minimizes workplace safety hazards, reduces downtime and ensures that you have sufficient light.

The RPB® L4™ Light provides a steady, highly concentrated output of light to your field of vision. Its high-powered LEDs produce up to 650 lumens of concentrated light output with a compact, lightweight battery pack that mounts comfortably and securely on your belt.

The L4[™] Light features a low-profile design, enhancing operator control with minimum protrusion and mounts securely to the top of the RPB® Nova 3® Respirator, providing light wherever the operator looks, eliminating the safety risks and inefficiencies associated with outdated nozzle lights.

Although applications have expanded since launch, it was originally developed to overcome the global need for light to assist blasters in tanks and other confined spaces where light is scarce.

Manufactured with durable, long-lasting materials.

Efficient, high powered LEDs producing up to 650 lumens of concentrated light output.

Mounts directly to the Nova 3® with no modification required.



* From local and globally sourced components.

Long lasting Li-ion battery lasts up to 4 hours on a single charge. Balteries recharge in 3-4 hours. The lightweight battery pack mounts on your belt.

1-866-494-4599 | rpbsafety.com



L4[™] LIGHT PACKAGES

L4™ LIGHT



For more package options please visit **rpbsafety.com/l4-light** Other packages include:



1-866-494-4599 | rpbsafety.com



RESPIRATORS 8 L4" LIGHT - PACAKAGES

L4[™] LIGHT PARTS



1-866-494-4599 | rpbsafety.com





NOVA 2000°

ADVANCED ABRASIVE BLASTING HELMET

10Va 2000



NOVA 2000®



ADVANCED ABRASIVE BLASTING HELMET

As the predecessor to the Nova 3°, the RPB° Nova 2000° was designed specifically for blasting, focusing on improved operator comfort to boost performance and productivity.

Featuring best-in-class hearing protection with multi-layered sound deadening foam, a streamlined air flow system and an abrasion resistant shell, the Nova 2000[®] meets worldwide respiratory protection standards including NIOSH, CE and AS/NZS.

Today's high safety standards in industry environments make on-site health and safety a top priority. Non-compliance or outdated equipment can likely result in unexpected costs including business disruption, injuries to valued operators and negative effects on your company's reputation. Year after year, the Nova 2000[®] has proven to minimize the risks to employees and businesses worldwide.

The Nova 2000® is certified to the standards below and conforms to AS/NZS 1716:2012.



CE0194 EN14594:2005

PROTECTION

AS/NZS CONFORMS TO AS/NZS 1716:2012 RESPIRATORY

PROTECTION

 ANSI Z89.1

 TO
 EN379:2003 +A1:2009

 AS/NZS 1801
 AS/NZS 1801

009 EN166:2002 AS/NZS 1337.1 HIGH VELOCITY IMPACT FOR EYE & FACE

ANSI Z87+

Air duct distribution system directs airflow into the breathe zone, prevents fogging and keeps workers cool.

Super tough helmet shell that is U.V. stabilized and abrasion resistant.

Large viewing window for increased vision.

Cape is securely altached with 8 snap fasteners.

Choose from 5 cape options.

Made in USA:

*From local and globally sourced components.

BOOST PRODUCTIVITY

Contractors have reported a time saving of over 45 minutes per day per blaster by using the RPB[®] "Fit & Save[™]" tear-off lenses that have individually pre-folded tabs, meaning workers are guaranteed to tear off only one lens at a time.

1-866-494-4599 | rpbsafety.com

NOVA

Hand strap for easy transportation and storage.

CERTIFIED COMPANY

Multi-layered sound deadening foam for hearing protection.

> Abrasion resistant cape cover band.

6

RESPIRATO

Snug detachable inner bib.

rpa

NOVA 2000[®] PACKAGES



For more package options please visit **rpbsafety.com/nova-2000** Other packages include:

 \mathbb{Z}/\mathbb{Z}



1-866-494-4599 | rpbsafety.com

7 *1* 7 *1* 7

7 / /

7






NOVA 2000[®] PARTS

NOVA 2000°

PARTS

9 RESPIRATORS



RESPIRATORS $\begin{bmatrix} \omega \\ \omega \end{bmatrix}$ NOVA 2000°-PARTS

NOVA 2000[®] PARTS

Helmet Liner Hygiene Kit (includes 2 alcohol wipes) Nylon Respirator Cape Part # NV2002 size Small **Part # NV2009SH** size Small Part # NV2009/10SH size Medium Part # NV2009 size Medium size Large **Part # NV2009LH** Part # NV2009/10 size Large Part # NV2009/10LH Supplied Air Breathing Tube Side Wings (pair) size Small **Part # NV2010SH** (for Nova 2000®) Part # NV2021 size Medium Part # NV2010 size Large **Part # NV2010LH** Side Wings (pair, for wearers Nylon Blast Jacket size XL with glasses) Part # NV2002HB-XL size Small Part # NV2010GSH size Medium Part # NV2010G size Large Part # NV2010GLH



Extra Length Nylon Respirator Cape Part # NV2002XL Leather Respirator Cape
Part # NV2002L Nylon Blast Jacket size XXL Inner Bib Part # NV2002HB-XXL Part # NV2012



NOVA 2000° TALK[™]

ADVANCED IN-HELMET COMMUNICATION SYSTEM

1 2003



NOVA 2000[®] TALK[™]

NOVA 2000[®] TALK[™] PARTS



ADVANCED IN-HELMET COMMUNICATION SYSTEM

Communicate effortlessly and safely with your fellow blasters, pot tenders and team members, without having to stop what you're doing.

The undisputed champion of industrial team radio, the RPB® Nova 2000® Talk™ has transformed the productivity, communication and safety of operators and businesses worldwide. The Nova 2000® Talk™ is a wireless communication system, ideal for users in remote locations such as crews in tanks, shipyards, water towers or any area that is difficult to access. The Nova 2000® Talk™ offers users features that include push to talk simplicity, a noise-cancelling microphone and pillow foam padding.







1-866-494-4599 | rpbsafety.com





rpb

NOVA 2000[®] TALK[™] PARTS

Intrinsically Safe



NOVA 2000[®] TALK[™] PARTS

Motorola Connection Cable (two-pin)

Part # 09-930

NOVA 2000[®] TALK[™] SPECIFICATIONS

Motorola Connection Cable (multi-pin) Part # 09-931



Kenwood Connection Cable (two-pin) Part # 09-933



Motorola Connection Cable (multi-pin) Part # 09-932





MOTOROLA MULTI-PIN RADIO MODELS

PART # 09-930

PART # 09-931

Part # 09-932

Part # 09-934

CP150, CP185, CP200, CP88, CT125, CT150, CT250, CT450, CT450LS, DTR, DTR410, DTR550, DTR650, GP200, GP2000, GP300, GP308, GP68, GP88, GTI, GTX, LTS2000, PO40, PO80, P110, P1225, P1225LS, P200, P2000, PR400, RDK, RDU, RDU2020, RDU2080D, RDU4100, RDU4160D, RDV, RDV2020, RDV2080D, RDV5100, SP10, SP21, SP50, VL50, XTN, XTN446, XTN500, XTN600, XU1100, XU2100, XU2600, XV1100, XV2100, XV2600.

MOTOROLA TWO-PIN RADIO MODELS

XTS2500, XTS3000, XTS3500, XTS5000, GP1200.

Turbo, APX 7000, XPR6300, XPR6500, XPR6550, APX7500.

PR07550, PR07750, PR09150, PTX700, PTX760, PTX780.

GP900, GP9000, HT1000, MT1500, MT2000, MTS2000, MTX8000, MTX838, MTX900, MTX9000, MTX960, MTXLS, PRI500, X1500, XTS1500, XTS2000,

KENWOOD TWO-PIN RADIO MODELS

TH-22AT, TH-235A, TH-28A, TH-42AT, TH-48A, TH-77A, TH-78A, TH-D7A(G), TH-F6, TH-6A,TH-G71A, TH-K2AT, TK-2100, TK-2102,TK-2130, TK-2160, TK-2170, TK-220, TK-2000,TK-2200LP, TK-2212L, TK-230VK, TK-240, TK-240D, TK-248, TK-250, TK-260, TK-260D,TK-260G, TK-270, TK-270G, TK-272G, TK-308, TK-3100, TK-3101, TK-3102, TK-3130, TK-3131, TK-3160, TK-3170, TK-3173, TK-320, TK-3200, TK-3200LP, TK-3212L, TK-3230, TK-3230XLS, TK-3302UK, TK-340, TK-340D, TK-348, TK-350, TK-353, TK-360, TK-360G, TK-370, TK-370G, TK-372G, TK-373, TK-430, TK-431, TK-2312, TK-3312.

NOTE: If the radio you are looking for is not in the above list, contact us Toll Free on 1-866-494-4599 as there is a chance we may be able to find a cable to suit.

Part # 09-933

1-866-494-4599 | rpbsafety.com

AXU4100, AXV5100, BPR40, CLS1110, CLS1410, CLS1413, CLS1450C, CLS1453C, CP100,

CBPRO, GP1280, GP140, GP320, GP328, GP329, GP338, GP339, GP340, GP360, GP380, GP640, GP650, GP680, GP960, HT1250, HT1250LS, HT1550, HT1550XLS, HT750, JT1000, MTX8250, MTX8250LS, MTX850, MTX850LS, MTX9250, MTX950, PR860, PR05150, PR05350, PR05450, PR05550, PR05750, PR07150, PR07350, PR07450,





NOV 103 ORS

SPECIFICATIONS



NOVA 1[®]

SAFER, TOUGHER & MORE COMFORTABLE



NOVA 1[®]



SAFER, TOUGHER & MORE COMFORTABLE

With a robust and large flat lens, the RPB® Nova 1[®] boasts all the same design features of the Nova 2000[®] that improve operator comfort and boost productivity.

Featuring best-in-class hearing protection with multi-layered sound deadening foam, a streamlined air flow system and an abrasion resistant shell, the Nova 1[®] meets worldwide respiratory protection standards including CE and AS/NZS.


Today's high safety standards make on-site health and safety a top priority. Non-compliance or outdated equipment can likely result in unexpected costs including business disruption, injuries to valued operators and negative effects on your company's reputation. Year after year, the Nova 1[®] minimizes the risks to employees and businesses worldwide.

Between the Nova 3[®], Nova 2000[®], Astro[™] and Nova 1[®], RPB[®] Safety has established itself consistently over decades as the definitive market leader in the abrasive blasting industry.

The Nova 1[®] is certified to the standards below and conforms to AS/NZS 1716:2012.

ANSI Z89.1 AS/NZS

PROTECTION



EN166:2002 AS/NZS 1337.1 HIGH VELOCITY IMPACT FOR EYE & FACE

Air duct distribution system directs airflow into the breathe zone, prevents fogging and keeps workers cool.

Super lough helmet shell that is U.V. stabilized and abrasion resistant.

Adjustable sturdy visor frame with molded hinge designed to take different lens thicknesses.

Large, flat lens.

Abrasion resistant cape cover band.

Durable nylon cape with comfortable seal around the neck.



*From local and globally sourced components.

C€0194 EN14594:2005





per blaster by using the RPB® "Fit & Save™" tear-off lenses that have individually pre-folded tabs, meaning workers a guaranteed to tear off only one lens at a time.

1-866-494-4599 | rpbsafety.com

BOOST PRODUCTIVITY



Hand strap for easy transportation and storage.

Multi layered sound deadening foam for hearing protection.

> Unique, high-strength visor strap.

> > Flexible breathing tube.



NOVA 1® PACKAGES

FIL

11 19

1-866-494-4599 | rpbsafety.com

NOVA 1®




For more package options please visit **rpbsafety.com/nova-1** Other packages include:



rpb

NOVA 1º PARTS



NOVA 1º PARTS

Side Wings (pair) Size Small Part # NV2010SH Size Medium Part # NV2010 Size Large Part # NV2010LH



Side Wings (pair, for wearers with glasses) size Small Part # NV2010GSH size Medium Part # NV2010G size Large **Part # NV2010GLH**



Helmet Liner size Small Part # NV2009SH size Medium Part # NV2009 size Large Part # NV2009LH



Hygiene Kit (includes 2 alcohol wipes) size Small Part # NV2009/10SH size Medium Part # NV2009/10 size Large Part # NV2009/10LH

Supplied Air Breathing Tube (for Nova 1®) Part # NV2021B

Air Inlet

1-866-494-4599 | rpbsafety.com



NOVA 1º PARTS



1-866-494-4599 | rpbsafety.com



NOVA 1° TALK[™]

ADVANCED IN-HELMET COMMUNICATION SYSTEM



NOVA 1[®] TALK[™]

NOVA 1° TALK[™] PARTS



ADVANCED IN-HELMET COMMUNICATION SYSTEM

Communicate effortlessly and safely with your fellow blasters, pot tenders and team members, without having to stop what you're doing.

The undisputed champion of industrial team radio, the RPB® Nova 1[®] Talk[™] has transformed the productivity, communication and safety of operators and businesses worldwide. The Nova 1® Talk™ is a wireless communication system, ideal for users in remote locations such as crews in tanks, shipyards, water towers and any area that is difficult to access. The Nova 1[®] Talk[™] offers users features that include push-to-talk simplicity, a noise-cancelling microphone and pillow foam padding.








RESPIRATORS

כלקח

CERTIFIED COMPANY

NOVA 1[®] TALK[™] PARTS

Intrinsically Safe



NOVA 1[®] TALK[™] PARTS

NOVA 1® TALK[™] SPECIFICATIONS

Motorola Connection Cable (multi-pin) Part # 09-931



Kenwood Connection Cable (two-pin) Part # 09-933



Motorola Connection Cable (multi-pin) Part # 09-932





Motorola Connection Cable (two-pin)

Part # 09-930

MOTOROLA TWO-PIN RADIO MODELS

MOTOROLA MULTI-PIN RADIO MODELS

CBPRO, GP1280, GP140, GP320, GP328, GP329, GP338, GP339, GP340, GP360, GP380, GP640, GP650, GP680, GP960, HT1250, HT1250LS, HT1550, HT1550XLS, HT750, JT1000, MTX8250, MTX8250LS, MTX850, MTX850LS, MTX9250, MTX950, PR860, PR05150, PR05350, PR05450, PR05550, PR05750, PR07150, PR07350, PR07450, PR07550, PR07750, PR09150, PTX700, PTX760, PTX780.

PART # 09-931

XV2100, XV2600. PART # 09-930

Turbo, APX 7000, XPR6300, XPR6500, XPR6550, APX7500. Part # 09-932

GP900, GP9000, HT1000, MT1500, MT2000, MTS2000, MTX8000, MTX838, MTX900, MTX9000, MTX960, MTXLS, PRI500, X1500, XTS1500, XTS2000, XTS2500, XTS3000, XTS3500, XTS5000, GP1200.

Part # 09-933

KENWOOD TWO-PIN RADIO MODELS

Part # 09-934

1-866-494-4599 | rpbsafety.com

AXU4100, AXV5100, BPR40, CLS1110, CLS1410, CLS1413, CLS1450C, CLS1453C, CP100, CP150, CP185, CP200, CP88, CT125, CT150, CT250, CT450, CT450LS, DTR, DTR410, DTR550, DTR650, GP200, GP2000, GP300, GP308, GP68, GP88, GTI, GTX, LTS2000, PO40, PO80, P110, P1225, P1225LS, P200, P2000, PR400, RDK, RDU, RDU2020, RDU2080D, RDU4100, RDU4160D, RDV, RDV2020, RDV2080D, RDV5100, SP10, SP21, SP50, VL50, XTN, XTN446, XTN500, XTN600, XU1100, XU2100, XU2600, XV1100,



TH-22AT, TH-235A, TH-28A, TH-42AT, TH-48A, TH-77A, TH-78A, TH-D7A(G), TH-F6, TH-6A,TH-G71A, TH-K2AT, TK-2100, TK-2102,TK-2130, TK-2160, TK-2170, TK-220, TK-2000,TK-2200LP, TK-2212L, TK-230VK, TK-240, TK-240D, TK-248, TK-250, TK-260, TK-260D,TK-260G, TK-270, TK-270G, TK-272G, TK-308, TK-3100, TK-3101, TK-3102, TK-3130, TK-3131, TK-3160, TK-3170, TK-3173, TK-320, TK-3200, TK-3200LP, TK-3212L, TK-3230, TK-3230XLS, TK-3302UK, TK-340, TK-340D, TK-348, TK-350, TK-353, TK-360, TK-360G, TK-370, TK-370G, TK-372G, TK-373, TK-430, TK-431, TK-2312, TK-3312.



NOV 123 ORS

ECIFICATIONS

NOTE: If the radio you are looking for is not in the above list, contact us Toll Free on 1-866-494-4599 as there is a chance we may be able to find a cable to suit.



ASTRO[™]

THE LIGHTWEIGHT INDUSTRY BENCHMARK FOR ABRASIVE BLASTING



ASTRO[™]



THE LIGHTWEIGHT INDUSTRY **BENCHMARK FOR ABRASIVE BLASTING**

The undisputed economical champion for an abrasive blasting helmet. The RPB® Astro meets safety standards worldwide, including Australia, Europe and the USA.

Weighing only 2.6lb/1.2kg (excluding the breathing tube), the Astro™'s revolutionary lightweight design has proven to reduce operator fatigue and downtime.

For users in search of a flat lens respirator, the Astro™'s best-in-class cape attachment and low lifetime maintenance and parts replacement costs offer users and businesses an unbeatable value and return on investment.

And unlike other flat lens respirator manufacturers, at RPB® Safety, we don't take shortcuts and we refuse to compromise on quality. Our rigorous production standards ensure a robust build and quality from shell to seams.

The Astro[™] is certified to the standards below and conforms to AS/NZS 1716:2012.



€€0194 EN14594:2005

AS/NZS 1801

HARD HAT

PROTECTION

AS/NZS CONFORMS TO AS/NZS 1716:2012

> RESPIRATORY PROTECTION



EN166:2002 AS/NZS 1337.1 HIGH VELOCITY IMPACT FOR EYE & FACE Abrasive-resistant polyethylene helmet shell.

Sturdy visor frame with molded hinge.

Replaceable cape cover band.



*From local and globally sourced componen

BOOST PRODUCTIVITY

Contractors have reported a time saving of over 45 minutes per day per blaster by using the RPB® "Fit & Save™" tear-off lenses that have individually pre-folded tabs, meaning workers are guaranteed to tear off only one lens at a time.

1-866-494-4599 | rpbsafety.com



Hand strap for easy transportation and storage.

> Large flat lens. Optional tear-off lenses.

Unique, high-strength visor strap.

> Flexible breathing tube.



AST 127 ORS RESPIRAT

Removable head suspension

allows for easy cleaning.

 \bigcirc









1-866-494-4599 | rpbsafety.com

ASTRO[™] PARTS



ASTRO[™] PARTS



1-866-494-4599 | rpbsafety.com



RESPIRATORS RSPIRATORS RSPIRATORS

T-LINK[™]

DESIGNED TO WORK WITH YOU, NOT AGAINST YOU!



T-LINK[™]



RPB® T-LINK[™]. DESIGNED TO WORK WITH YOU, NOT AGAINST YOU!

Working longer stints never felt this good. Gone are the days of having to fight against a Tyvek[®] respirator. The RPB[®] T-Link[™] has been designed to assist you in your work, moving with you wherever you turn.

Below are just some of the features:

- The Tyvek[®] cover is securely attached to the helmet system ensuring it will never blow up off your head!
- The large viewing window enables you to operate with a widened perspective, featuring exceptional downward and peripheral vision.
- The soft, breathable inner-bib and extra tuck-in collar directs air down your body to aid cooling.

The T-Link[™]'s padded head-liner and head suspension system provides comfort and balanced weight distribution, making it feel lighter as there are no pressure points on your head. Being fully adjustable ensures the respirator fits securely and moves with your head, allowing you to work freely without having to worry about the hood getting in the way or messing up your fresh paint job. It is simply everything you could want in a painting respirator.

The T-Link[™] is certified to the standards below and conforms to AS/NZS 1716:2012, AS/NZS 1336:2014, AS/NZS 1801:1997.



C€0194 EN14594:2005 EN12941:1998 +A1:2003+A2:2008 TH3 P R SL



ANSI Z89.1° EN379:2003 +A1:2009 AS/NZS 1801



RESPIRATORY PROTECTION

HARD HAT HIGH VELOCITY IMPACT PROTECTION FOR EYE & FACE * Not all configurations conform to this standard. Please visit **rpbsafety.com** for more details

OPTIONAL COMFORT-LINK[™] FIT SYSTEM

The Comfort-Link™ is an optional, fully-adjustable fit system that allows total control of helmet and head placement as well as making sure the T-Link[™] moves with your head.



Comfortable head suspension can be adjusted for height and distance from visor.

Air deflector to adjust the air direction inside the respirator.

Optional ANSI Z87+ approved safety lens.

Large viewing window.

Fixed lens frame ensures the ens will never hit your nose.

Crystal clear peel-off lenses available.



Option of bump cap or hard hat protection.

/////

136 RES ATORS

1-866-494-4599 | rpbsafety.com



2 cape materials available: Dupont[™] Tychem[®] 2000, Dupont[™] Tychem[®] 4000.

> Breathing tube easily attaches to respirator and swivels to eliminate tangles.

> Ratchet adjustment from the outside of the hood (except Tychem[®] 4000 version).

> > oft, breathable inner-bib.

ng luck-in collar for a protection and body air flow.











T-LINK[™] PARTS

PX4 Air[®] Breathing Tube (for T-Link[™]) Part # 04-835



Supplied Air Breathing Tube (for T-Link™) **Part # 04-830**



Lightweight Helmet Shell
Part # 17-511

T-Link[™] Bump Cap Assembly **Parl # 17-110**





1-866-494-4599 | rpbsafety.com



T-Link[™] Hard Hat Assembly **Part # 17-010**



T-LINK[™] PARTS



`______



111

rpb





T100" SERIES

SUPERIOR LIGHTWEIGHT PROTECTION



T100[™] SERIES

LIGHTWEIGHT PROTECTION

The RPB® T100[™] Series is a cost-effective disposable respirator. The economical option that provides lightweight protection and premium quality.

Used throughout a variety of industries from industrial spray painting to chemical handling, the T100[™] has been designed to be robust enough to reuse but cost effective enough to discard after use.

It is manufactured from DuPont[™] Tychem[®] and offers superior comfort compared to conventional, tight, full-face respirators. The hood protects your entire head, eliminating the need for a head sock. A large variety of hood options with different features are available, including the option of the unique ANSI Z87+ high velocity impact lens.

Users with facial hair commonly convert to loose-fitting respirators so they don't jeopardize their protection. There is no fit-testing required, saving you time and money, while maintaining OSHA compliance.

100

The T100™ Series is available in two different materials:

Dupont™ Tychem® 2000 and Dupont™ Tychem® 4000. Dupont[™] Tychem[®] 4000 is widely used in waste management, hazardous response, nuclear environments, and other challenging industries. This version is Saronex coated, providing at least 30 minutes of protection against over 120 chemical substances.





ANSI Z89.1* EN379:2003 +A1:2009 AS/NZS 1801





and downward vision

Large lens providing

excellent peripheral

Optional ANSI Z87+ high velocity impact protection lens.

Tuck-in collar directs air over the upper body to provide additional cooling.



*From local and globally sourced components.

1-866-494-4599 | rpbsafety.com



Air duct directs the airflow to the operator's breathing zone.

Optional barrier seal for more demanding environments.

Peel-off lenses protect the main lens from chemical splash, spray drift and dust.



T100[™] SERIES PACKAGES

1-866-494-4599 | rpbsafety.com

Standard Length Bib Standard Lens Part # 07-101



For more package options please visit **rpbsafety.com/t100-series** Other packages include:





T100

RESPIRATORS [ਯੋ]

T100[™] SERIES PARTS



1-866-494-4599 | rpbsafety.com

Tychem® 4000 Hood (chemical), Extra Length Bib, Safety Lens **Part # 07-150-SX**








/////////

T100[™] SERIES PARTS



1-866-494-4599 | rpbsafety.com

Supplied Air Breathing Tube (for T100[™], includes 07-122) **Part # NV2021F**

PX4 Air® Breathing Tube (for T100™, includes 07-122) **Part # 04-836**





T150" SERIES

THE ULTIMATE AIR SUPPLIED FULL-FACED RESPIRATOR



T150[™] SERIES



THE ULTIMATE AIR SUPPLIED FULL-FACE RESPIRATOR

A limited viewing area is a hazard for employees on industrial work sites, increasing risks such as tripping, falling, or even long-term eye-sight damage. Enter the RPB® T150[™] NIOSH approved Type C respirator, which minimizes these risks and offers operators a superior comfort, vision and safety across a spectrum of applications from chemical stripping to spray painting and coating.

The T150[™] is manufactured from polycarbonate, making it robust, yet comfortable enough for all-day protection. It has an adjustable six-point harness and a soft silicone or thermoplastic (TPR) face seal that fits perfectly to the contours of the user's face, creating an airtight seal. It also features a panoramic lens that has been specially treated to prevent fog, scratches and acid wear and tear.

When operating in confined space applications requiring a full-face respirator, work in comfort with the knowledge that you and your team are receiving the most elite protection available.

APPLICATIONS INCLUDE

SERIES

158

RE

- Spray painting, coating and confined space applications
- Pharmaceutical manufacturing
- Chemical, pesticide and materials handling
- Chemical stripping
- Waste management




ANSI Z87+ EN166:2002 AS/NZS 1337.1

HIGH VELOCITY IMPACT FOR EYE & FACE







Protect the main lens from chemical splash, spray drift or dust with peel-off protective lenses. Pre-folded tabs ensure workers can quickly tear off just one layered lens at a time.

1-866-494-4599 | rpbsafety.com

Panoramic visor provides undistorted vision.

In the community of the second second



Polycarbonate lens protects face from overspray and debris. Its acid-resistant coating allows it to be cleaned with thinners.

> Soft silicone (green) or thermoplastic (TPR, grey) face seals guarantee a perfect fit.

> > Air distribution system provides anti-fog barrier to the inside of the lens.

......

Soft silicone inner face seal fits comfortably over mouth and nose.

er contente

T150[™] SERIES PACKAGES

T150" SERIES - PACKAGES | 연 RESPIRATORS




For more package options please visit **rpbsafety.com/t150-series** Other packages include:






T150[™] SERIES PARTS



RESPIRATORS | 🛱 | 1150° SERIES - PARTS





PX4 AIR[®] PAPR

THE ULTIMATE POWERED AIR PURIFYING RESPIRATOR



PX4 AIR® PAPR



THE ULTIMATE POWERED **AIR PURIFYING RESPIRATOR**

The RPB® PX4 Air® is a robust and versatile Powered Air Purifying Respirator (PAPR) that provides clean breathing air to the full range of RPB® Safety's industry leading respirators.

Whether you're welding, grinding, painting or in a laboratory, the RPB® PX4 Air® can serve all your mobile respiratory needs.

The PX4 Air® optimizes user safety, comfort and portability. Users benefit from the safety of clean breathing air without the restriction of attached airlines, providing complete flexibility to move around as the job requires. It is NIOSH and CE certified and exceeds the requirements of AS/NZS.

APPLICATIONS INCLUDE

PAPR

168

- Spray painting, coating and confined space applications
- Pharmaceutical manufacturing
- Chemical, pesticide and materials handling
- Chemical stripping
- Waste management
- And many more!



Long life, lightweight, Lithium rechargeable battery. Operates up to 13 hours on a single charge. Has a quick test button to view the current battery charge.





C€ 0194[°] EN14594:2005 EN12941:1998 +A1:2003+A2:2008 TH3 P R SL



RESPIRATORY PROTECTION

* Only in conjunction with respirator

LED DISPLAY

The LED display shows battery life and fan speed. When flow is below the minimum requirements the unit alerts you by an audible and vibrating alarm.

1-866-494-4599 | rpbsafety.com



A A A A A A A A A



*From local and globally sourced components.

and the state of the state of the second

Highly efficient filter

cartridge provides

maximum filtration.

The ultra quiet fan

as low as 65dba.

operates at a noise level

Electronic calibration to ensure optimum airflow.

when flow is below the minimum requirements.

in the second of Ergonomically designed, contouring to the operator's lower back.




Audible and vibrating alarm

Two belt options available: standard webbed belt or the Nomax[®] FR rated belt for use in spark environments.

> Ultra-efficient multi-speed German built fan.

PX4 AIR® PAPR SUPPLY [6] FILTRATION & MONITORING

Lightweight at just 2.5lbs (1.13kg).



PX4 AIR[®] PAPR PACKAGES



For more package options please visit **rpbsafety.com/px4-air** Other packages include:





PX4 AIR® PAPR PARTS



`______`

AIR MONITORING FILTRATION & SUPPLY $\left| \overrightarrow{\omega} \right|$ PX4 AIR* PAPR - PARTS

PX4 AIR® PAPR PARTS



1-866-494-4599 | rpbsafety.com

GX4 GAS MONITOR[®]

THE ULTIMATE GAS DETECTION MONITOR



- there were and

+ 100 V

20

GX4[®] GAS MONITOR



THE ULTIMATE GAS DETECTION MONITOR

Dangerous levels of toxic gases can cause severe injury or death. The RPB® GX4® Gas Monitor gives you the complete confidence that the air you and your employees breathe is safe.

Gases such as carbon monoxide are invisible to all the human senses, yet are commonly found in industrial premises worldwide. While low-level exposure may not be immediately fatal, ongoing contact at low levels has a cumulative effect, causing serious illness and long-term health concerns. Early symptoms can be mistaken for the flu, headaches or liredness. It is a serious problem which is commonly overlooked.

The GX4® can detect up to four gases simultaneously. It includes smart device and cloud integration capabilities enabling you to view your air quality from any device, while sensors are displayed online in real time.

APPLICATIONS INCLUDE

- Spray painting, coating and confined space applications
- Pharmaceutical manufacturing
- Chemical, pesticide and materials handling
- Chemical stripping
- Waste management



Connect to the GX4® from your laptop, tablet,



Complete quick and easy calibration checks with no set points required.

Illuminated display that shows real time data.

Robust power inlet.

Push release air inlet

GAS SENSORS

A range of pre-calibrated gas sensors are available including CO, O_2 and H_2S . All have a 2 year shelf life.

1-866-494-4599 | rpbsafety.com



*From local and globally sourced components.

Strong nylon ABS case that will handle the harshest of conditions.



103 DBA staccato alarm.

Monitor up to four gases simultaneously.

> Sturdy mounting bracket.

Cartridges can be easily removed and replaced.



GX4[®] GAS MONITOR PACKAGES

20

1501


1

PH % on 13, 8:46 atr 0

PPH -

0

II) >



GX4® GAS MONITOR 3 Blank Sensor Cases, CO Sensor, Air Supply Hose, Power Adapter Pack and Mounting Bracket Part # 08-400-01 Part # 08-400-01-AU Part # 08-400-01-EU Part # 08-400-01 -UK Part # 08-400-02 Part # 08-400-02-EU Part # 08-401-01 Part # 08-401-02

For more package options please visit rpbsafety.com/gx4-gas-monitor Other packages include:









GX4[®] GAS MONITOR PARTS



GX4[®] GAS MONITOR PARTS

M5 Inlet Filter, Auxiliary Strobe and Alarm Tower with 50' Cable Sintered Brass Part # 08-436 Part # 08-429 Auxiliary Cable 50' with Bare End Part # 08-434 Calibration Adapter Calibration Flow Regulator Part # 08-450 1.5 SLPM (includes 08-450, for Zero Air and CO gas bottles) Part # 08-451 (for H₂S gas bottles) Part # 08-452





1-866-494-4599 | rpbsafety.com

AIR MONITORING FILTRATION & SUPPLY $\left| \overrightarrow{\mathrm{Gd}} \right|$ GX4[®] GAS MONITOR - PARTS

רקר

RADEX[®] AIRLINE FILTER

ADVANCED FILTRATION CAPACITY & VERSATILITY



E.

RADEX

Conduction and attack

RADEX® AIRLINE FILTER



ADVANCED FILTRATION CAPACITY & VERSATILITY

Polluted air can be the cause of major health issues and, at the very least, can adversely affect operator comfort and productivity. The RPB® Radex® Airline Filter improves the quality of the air your employees are breathing and exceeds industry filtration standards so you can be assured that your operators won't suffer the consequences of breathing contaminated air.

The filter is fitted with a large capacity, 6-stage filter cartridge that removes moisture, odor and particulates to 0.5 micron from the compressed air stream, providing clean, breathable air. The Radex[®] features a unique twist-and-lock wall and floor mounting system.

An optional auto drain valve is available to fit to your filter that continually removes moisture from the filter housing, increasing the lifespan of the filter cartridge.

6 OUTLET SYSTEM Upgrade to the 6-outlet system to provide filtration to six separate airlines from one filter.

1-866-494-4599 | rpbsafety.com

Quick disconnect coupler that is compatible with brands including Aro, Cejn, Dixion and Rectus.

Claw coupler port.

Fitted with brass drain tap.

Made in USA:

*From local and globally sourced components.



Outlet pressure regulator provides the ability to adjust air pressure. Range 0-125 psi (04-900 2 outlet unit only).

Replacement filter cartridges have a replacement date sticker for maintenance scheduling.

> . Strong, robust housing.

Wall and floor mounting system.





RADEX

rpe

FIJER REPLACED ON

Replace sconvr if:

FEL OFF STICKER AND AFTACH

ment due at 3 months

150900

2870415-780

rpbi

RADEX[®] AIRLINE FILTER PACKAG

RADEX® AIRLINE FILTER - PACKAGES |엸 AIR MONITOR

For more package options please visit **rpbsafety.com/radex-airline-filter**





RADEX[®] AIRLINE FILTER PACKAGES

RADEX[®] AIRLINE FILTER 6-outlet system **Part # 04-906**

RADEX® COMPLETE BREATHING AIR SYSTEM GX4[®] Gas Monitor Micro Mist Filter 1/2" Mainline Pre-filter Aluminum Wall Bracket Replacement Radex® Filter Cartridge Part # 04-907

For more package options please visit **rpbsafety.com/radex-airline-filter**

1-866-494-4599 | rpbsafety.com



////////



RADEX® AIRLINE FILTER PARTS



1-866-494-4599 | rpbsafety.com

AIR MONITORING FILTRATION & SUPPLY [G] RADEX® AIRLINE FILTER - PARTS

כלקח

RADEX[®] AIRLINE FILTER PARTS



AIR MONITORING FILTRATION & SUPPLY | 덬 RADEX*AIRLINE FILTER - PARTS


RADEX® AIRLINE FILTER PARTS

Replacement Filter Cartridge (generic)
Part # AFC100 1" NPT Hex Connector Six Man Upgrade Kit Part # 04-960 Part # 04-966 1/2" NPT Hex Connector Part # 04-952 Super High Flow Regulator Six Outlet Filter Lid (includes gauge 04-915) Part # 04-961 . Filter Cartridge Part # 04-962 Part # APF3100 Mainline Pre-filter Six Outlet Manifold Brass Elbow Micro Mist Filter Element Part # 04-927 Part # 04-965 Part # 04-928 (for 04-925 Micro Mist Filter) Part # 04-930



RADEX® AMBIENT AIR PUMP PACKAGES

RADEX® AMBIENT AIR PUMP PARTS





AIR MONITORING FILTRATION & SUPPLY $\left| \overrightarrow{\Theta}
ight|$ radex* ambient air pump - parts


AIR SUPPLY

ALMO

er ce



AIR SUPPLY PARTS



Part # NV2035

*(Note: for use with low pressure air pumps)

1-866-494-4599 | rpbsafety.com

100' Breathing Air Supply Hose 1/2" Diameter (includes Quick Release Fillings*) Part # NV2036 50' Breathing Air Supply Hose 1/2" Diameter (includes Quick Release Fittings*)

> Quick Release Schrader Coupler 1/4" Female Thread Part # 03-042-CF







C40" CLIMATE CONTROL DEVICE

PREMIUM AIR TEMPERATURE CONTROL SYSTEM



HORE

后

$\textbf{C40}^{\scriptscriptstyle \rm T}\textbf{ CLIMATE CONTROL DEVICE}$

ADVANCED AIR TEMPERATURE CONTROL SYSTEM

Working in an environment where the temperature is comfortable is key to maximizing productivity. The RPB[®] C40[™] Climate Control Device can heat and cool your supplied air as desired.

With the slide of a lever, your employees can switch from heating to cooling ensuring they are comfortable whether they're in the searing heat of the Arizona summer, a severe Scandinavian winter or anywhere in between.

The RPB[®] C40[™] can cool incoming air by up to 52°F (29°C) or heat it by up to 33°F (18°C). This is achieved by simply switching the mixing lever from hot to cold. The device is lightweight and ergonomically designed to sit comfortably on the operator's hip. The RPB[®] C40[™] pairs with most of our respirator range.

APPLICATIONS INCLUDE

C40

208

- Spray painting, coating and confined space applications
- Pharmaceutical manufacturing
- Chemical, pesticide and materials handling
- Chemical stripping
- Waste management




* Only in conjunction with respirator.

LOW MAINTENANCE

Low maintenance required. The air silencers are the only parts that need cleaning or replacing.

1-866-494-4599 | rpbsafety.com



Durable belt for

maximum comfort.

Pla

Manufactured from robust materials, designed and lested for the harshest conditions.



*From local and globally sourced components.

Easily adjust the temperature using this lever.

Increase or decrease the airflow by turning the flow control dial.

Choose from a range of plugs to suit your application.

4.00

Air inlet swivels 360° to ensure the device sits comfortably on the operator's hip.



C40[™] CLIMATE CONTROL DEVICE ASSEMBLY



For more package options please visit **rpbsafety.com/c40-climate-control**

I I I I I I I I I



C40[™] CLIMATE CONTROL DEVICE PARTS



1-866-494-4599 | rpbsafety.com

FLOW CONTROL

ADVANCED AIR TEMPERATURE CONTROL

rpla



COLD AIR TUBE



ADVANCED AIR TEMPERATURE CONTROL

The RPB[®] Cold Air Tube is part of RPB[®] Safety's range of economical climate control assemblies. It significantly cools your air supply for optimum performance and comfort when operating in climate and environmental extremes.

RPB® 4000-01 COLD AIR TUBE ASSEMBLY

The RPB[®] 4000-01 is manufactured from engineering grade plastic which is extremely robust and ideal for the rigors of the workplace. It cools compressed breathing air entering respirators by as much as 32°F (18°C).



HOT AIR TUBE



ADVANCED AIR TEMPERATURE CONTROL

The RPB[®] Hot Air Tube is part of RPB[®] Safety's range of economical climate control assemblies. It significantly heats your air supply for optimum performance and comfort when operating in climate and environmental extremes.

RPB® 4000-20 HOT AIR TUBE ASSEMBLY

The RPB® 4000-20 is manufactured from engineering grade plastic which is extremely robust and ideal for the rigors of the workplace. It warms compressed breathing air entering respirators by as much as 30°F (17°C).



All parts are easily removable for maintenance and cleaning. Strong webbed belt. Regulator to control air temperature and airflow. Made in USA

*From local and globally

1-866-494-4599 | rpbsafety.com



Tough engineering plastic designed for harsh conditions.



FLOW CONTROL PARTS


Cold Air Tube Assembly (NIOSH approved) Part # 4000-01 (CE approved, includes Temperature Shield and Swivel Connector) Part # 4000-01CE

Cold Air Spinner Part # 4000-04

Cool Air Tube Body

Part # 4000-05B







Top Thread Cap BSP Thread (for 4000-01) Part # 4000-03





Top Thread Cap GHT Thread (for 4000-20) Part # 4000-03GHT





Hot Air Tube Body Part # 4000-05R



1-866-494-4599 | rpbsafety.com





AIR MONITORING FILTRATION & SUPPLY $\left| \begin{matrix} N \\ G \end{matrix} \right|$ FLOW CONTROL - PARTS

FLOW CONTROL PARTS



1-866-494-4599 | rpbsafety.com

AIR MONITORING FILTRATION & SUPPLY $\left| \frac{N}{N} \right|$ FLOW CONTROL - PARTS

rpb°

FLOW CONTROL PARTS

Constant Flow Valve - Low Pressure
Part # NV2015



Adapter 1/2" Low Pressure Plug to 3/8" NPT Male Thread Part **# NV2034**



Adaptor 1/4" RPB® Plug to 3/8" NPT Male Thread



Flow Control Valve (NIOSH approved) **Part # NV2016** (CE approved) **Part # NV2016CE**



Quick Release Tail 1/4" Male Thread **Part # 4000-06**





1-866-494-4599 | rpbsafety.com





BLAST SUIT

ADVANCED COMFORT & USABILITY



R

BLAST SUIT



ADVANCED COMFORT & USABILITY

The nature of abrasive blasting creates dangerous environments for operators. The RPB® Blast Suit provides ultimate protection and comfort to the operator, advancing your safety and increasing your productivity.

The blast suit features triple stitching for durability and replaceable knee pads for extra comfort and protection.

Blast Suit is available in size range Small - XXXXL. Part # 07-755-(S-XXXXL)

RPB [®] Blast Suit S	izo Char						
SIZE	S	M	L	XL	XXL	XXXL	XXXXL
CHEST	36	38	40	42	44	46	48
WAIST	32	34	36	38	40	42	44
HIP	38	40	42	44	46	48	50
TOTAL LENGTH	60	62	63	64	65	66	68
INSIDE LEG	30	30	30	30	30	30	30

Elasticated waist for a comfortable fit.

Breathable cotton back designed to keep the operator cool.

Available in 6 sizes.

Robust nylon zipper with protective cover.

BLAST SUIT |[∞]2| SAFETY ESSENTIALS

ADDITIONAL COMFORT

Sore knees from kneeling? Try the RPB® unique knee pad which insert into the Blast Suits internal knee pockets for maximum comfort.

1-866-494-4599 | rpbsafety.com





Ы λSΤ BL Y ESSENTIALS | 00 |



SAFETY ESSENTIALS

ADVANCED SAFETY SUPPORT



Protecting you for life's best moments®



SAFETY ESSENTIALS



ADVANCED SAFETY SUPPORT

As you know, it is essential to take care of small details to protect your employees in dangerous environments. How can you be certain that your employees are completely protected? RPB®'s safety essentials range takes care of the details, and are ideal for use in conjunction with our respiratory equipment, ensuring your employees are completely safe, comfortable and productive.

SAFETY GLASSES

The RPB® Safety Glasses advance your safety and increase your productivity as they are protective, comfortable, cost effective and reliable. Three different styles are available, each with either clear or smoked lenses.





Head Sock (pk 10) The RPB® Head Socks provide protection from overspray and dust. Part # 05-601

Earmuffs (NRR 28)

Do-rag

The RPB[®] Do-rag is made from

out of the operator's eyes when

wearing a respirator.

Part # 05-613

soft, breathable cotton fabric, and features a sweat band to keep sweat





S100™ Ear Plugs (200 pairs) The RPB® S100[™] Ear Plugs are manufactured from soft, quality foam. They feature the comfortable "bell shape". NRR 32 decibels. Part # 18-322

כלקי





Z-LINK®

PAGE 15	PART #
Supplied Air Breathing Tube (for Z-Link®)	04-830
PX4 Air® Breathing Tube (for Z-Link®)	04-835
FR Hose Cover (does not include Breathing Tube)	04-854
Ultra Magnifying Lens 1.0	13-072-1
Ultra Magnifying Lens 1.5	13-072-1.5
Ultra Magnifying Lens 2.0	13-072-2
Ultra Magnifying Lens 2.5	13-072-2.5
Helmet Shell	16-511
Helmet Shell (White)	16-511-White
Jaw Assembly (includes screws and 16-515)	16-514
Lens Seal	16-515
Earmuff Bracket (pair, includes screws)	16-516
Side Padding System	16-520-S
Fit System (includes 16-520-S,	
16-521, 16-522, 16-525, 16-526, 16-530, 16-531)	16-520-T
Impact Absorber	16-521
Comfort Pad	16-522
Head Harness System Bracket and Air Deflector	16-525
Brow Pad	16-525
Side Padding Frames	16-527
Foam Side Pads	16-528
Ratchet Assembly	16-530
	••••••
Head Harness (includes 16-530)	16-531
Visor	16-611
Welding Visor (includes ADF Lens)	16-670
Welding Lens Retainer	16-672
Weld Visor Attachment Clips	16-673
Welding Visor	16-674
Zytec® FR Face Seal	16-711
Tychem® 2000 Face Seal	16-712
Zytec® FR Shoulder Cape	16-721
Tychem® 2000 Shoulder Cape	16-722
Tychem [®] 4000 Shoulder Cape	16-723
Safety Lens Anti Fog/Anti Scratch	16-810
Safety Lens - Infared (shade 5)	16-810-IR5
Safety Lens - Mirror Tinted Anti Fog	16-810-MT
Safety Lens - Smoke Tinted Anti Fog/Anti Scratch	16-810-ST
Safety Lens - Yellow Tinted Anti Fog/Anti Scratch	16-810-YT
Tear-off Lens (pk 50)	16-811
ADF Lens	16-871
Welding Impact Lens (pk 10)	16-872
ADF Rear Lens (pk 10)	16-873
Magnifying Lens Holder	16-875

LINK ACCESSORIES

PAGE 24	PART #
Battery Charger	09-050
Battery	09-055
Push to Talk Button - Intrinsically Safe	09-813
Push to Talk Button	09-913
Motorola Connection Cable (two-pin)	09-930
Motorola Connection Cable (multi-pin)	09-931
Motorola Connection Cable (multi-pin)	09-932
Kenwood Connection Cable (two-pin)	09-933
Motorola Connection Cable (multi-pin)	09-934
Motorola Connection Cable (single-pin)	09-935
Jaw Mount (for Z-Link® and Z4™, does not include screw)	15-839
Earmuff Bracket (pair, includes screws)	16-516
Communication Retainer Clip	16-529
Vision-Link™	16-901
Light (does not include charger)	16-910
Cowling Seal	16-915
Protective Lens (includes screws)	16-916
Latch	16-917
Jaw Mount (for T-Link™, includes screws)	16-918
Adjustment Lever Kit	16-919
Communication System - Intrinsically Safe (includes 16-529)	16-921-IS
Communication System (includes 16-529 and 09-913)	16-922
Helmet Mounted Earmuff (pair)	18-533
Cushions	18-538

Z4®

PAGE 36	PART #
PX4 Air® Breathing Tube (for Z4®)	04-837
FR Hose Cover (does not include Breathing Tube)	04-854
Ultra Magnifying Lens 1.0	13-072-1
Ultra Magnifying Lens 1.5	13-072-1.5
Ultra Magnifying Lens 2.0	13-072-2
Ultra Magnifying Lens 2.5	13-072-2.5
Side Pad Mounts (pair)	15-148
FR Face Seal	15-711
FR Shoulder Cape	15-721
Weld Visor Assembly (includes 16-672 and 15-821)	15-812
Side Window Blockers - Solid Gray (pair)	15-821
Side Window Blockers -Shade 5 (pair)	15-821-5
Head Harness Bracket and Adjustment System	15-830
Safety Lens Bayonet (pair)	15-832
Face Shield	15-811
Front Cape Clip Cover	15-831

Z4[®] continued

PAGE 36	PART #
Head Harness (includes 16-530 and 15-848)	15-840
Comfort Side Padding System	15-848
Air Intake Assembly (includes screws)	15-851
Safety Lens (pk 10)	15-878
Brow Pad	16-526
Foam Side Pads	16-528
Ratchet Assembly	16-530
Welding Lens Retainer	16-672
ADF Lens	16-871
Welding Impact Lens (pk 10)	16-872
ADF Rear Lens (pk 10)	16-873
Magnifying Lens Holder	16-875

Foam Side Pads	16-528	NUVA 3 [®]	
Ratchet Assembly	16-530	PAGE 64	PART #
Welding Lens Retainer	16-672	PX4 Air® Breathing Tube (for Nova 3®)	04-838
ADF Lens	16-871	Adjustable Head Support	07-900
Welding Impact Lens (pk 10)	16-872	Inner Bib	NV2012
ADF Rear Lens (pk 10)	16-873	Supplied Air Breathing Tube (for Nova 3®)	NV2021B
Magnifying Lens Holder	16-875	Domes (8 sets)	NV2041
		Inner Gasket	NV3-721
Z3 [™] WELDER		Inner Lens (pk 10)	NV3-722
PAGE 47	PART #	Tinted Inner Lens (pk 10)	NV3-722-T
Supplied Air Breathing Tube (for Z3™)	03-031	Inner Lens Frame	NV3-723
Swivel Air Fitting Elbow	03-032	Outer Lens (pk 50)	NV3-724
PX4 Air® Breathing Tube (for Z3™)	04-839	Tear-off Lens (pk 50)	NV3-725
Hose Holder	13-041	Visor Kit (includes Hinge and Latch)	NV3-726
Head Harness	13-042	Hinge Lock	NV3-727-2
Comfort Padding (Sweat Band, Neck Pad)	13-043	Visor Mount Kit	NV3-727/8
Hard Hat Adapter Clips	13-045	Air Inlet Kit	NV3-729
Outer Lens Frame	13-050	Padding Connections (left and right)	NV3-730
Outer Lens Frame Seals	13-051	Side Padding Frames (left and right)	NV3-731
Impact Lens (pk 10)	13-052	Side Padding Foam and Covers 5mm NV	/3-732-A05
Ultra Rear Lens (pk 10) (107mm x 71.5mm)	13-054	Side Padding Foam and Covers 10mm N	V3-732-A10
ADF Ultra Filter (107.5mm x 71.5mm)	13-062		V3-732-A15
Magnifying Lens Holder	13-071		/3-732-A20
Ultra Magnifying Lens 1.0	13-072-1	Side Padding Covers (5 pairs)	NV3-733
Ultra Magnifying Lens 1.5	13-072-1.5	Head Liner Kit (includes NV3-734-1)	NV3-734
Ultra Magnifying Lens 2.0	13-072-2	Head Liner Clips (pk 4)	NV3-734-1
Ultra Magnifying Lens 2.5	13-072-2.5	Head Liner Foam Padding	NV3-735
Welding Shield	13-310	Neck Pad	NV3-735-1
Flex Face Seal	13-323		3-736-A05
Hard Hat (includes 13-045)	13-325		/3-736-A10
			/3-736-A15
Z100 [™] SERIES			3-736-A20
PAGE 56	PART #	Cassette Lens System (pk 20, 5 Tear-off and Outer Lens fused together)	NV3-745
PX4 Air® Breathing Tube (for Z100™, includes 07-122)	04-836	Nylon Respirator Cape (includes Inner Bib NV2012)	NV3-745
Head Harness Mounting Clips (pk 2)	07-121	Extra Length Nylon Respirator Cape (includes Inner Bib NV2012)	NV3-751
Head Harness Mounting Clips (pk 2) Hose Clamp (single bond nylon, 1-13/32)	07-121	Leather Respirator Cape (includes Inner Bib NV2012)	NV3-751
Peel-off Lens (pk 50)	07-122	Extra Length Leather Respirator Cape (includes linner Bib NV2012)	NV3-752
	07-123	•••••••••••••••••••••••••••••••••••••••	
Hard Hat Clip (for 07-721) Hard Hat (includes 07-125 Hard Hat Clip)	07-125	Blast Jacket size XL (includes Inner Bib NV2012)	NV3-754 NV3-755
		Blast Jacket size XXL (includes Inner Bib NV2012)	
Zytec [®] FR Hood with Safety Lens	07-160-S	Cape Cover Band	NV3-759

PAGE 56	PART
PX4 Air® Breathing Tube (for Z100™, includes 07-122)	04-83
Head Harness Mounting Clips (pk 2)	07-1
Hose Clamp (single bond nylon, 1-13/32)	07-1
Peel-off Lens (pk 50)	07-1:
Hard Hat Clip (for 07-721)	07-1:
Hard Hat (includes 07-125 Hard Hat Clip)	07-12
Zytec® FR Hood with Safety Lens	07-160

Z100[™] SERIES continued

PAGE 56	PART #
Head Suspension	07-920
Brow Pad (for 07-920, pk 5)	07-924
Chin Strap (for 07-920 and 07-721)	07-926
Supplied Air Breathing Tube (for Z100™, includes 07-122)	NV2021F

NOVA 3®



NOVA 3[®] TALK[™]

PAGE 72	PART #
Intrinsically Safe Headset for Nova Talk™	
(includes Side Padding, pair)	09-803
Chest Harness	09-814
Raider High Noise Headset - Intrinsically Safe	09-815
Push to Talk Button	09-913
R-Tex High Noise Headset	09-915
R-Tex High Noise Headset (includes PTT)	09-916
Motorola Connection Cable (two-pin)	09-930
Motorola Connection Cable (multi-pin)	09-931
Motorola Connection Cable (multi-pin)	09-932
Kenwood Connection Cable (two-pin)	09-933
Motorola Connection Cable (multi-pin)	09-934
Side Padding Covers (for Nova 3® Talk™, 5 pairs)	NV3-733TK

L4[™] LIGHT

PAGE 84	PART #
Power Cable - US	09-021
Power Cable - AU/NZ	09-021-AU
Power Cable - EU	09-021-EU
Power Cable - UK	09-021-UK
L4™ Light and Mount Unit (includes 09-520)	09-512
Mounting Clip	09-520
Outer Lens (pk 10)	09-522
Light Cable)	09-524
Battery Charger (Power cable not included)	09-525
Battery Pack	09-532-2

NOVA 2000®

PAGE 92 PART # NV2002 Nylon Respirator Cape Extra Length Nylon Respirator Cape NV2002XL Leather Respirator Cape NV2002L NV2002HB-XL Nylon Blast Jacket size XL Nylon Blast Jacket size XXL NV2002HB-XXL NV2003 Window Frame Gasket Visor Kit NV2004 NV2006/7 Air Inlet Assembly NV2006/7 CE Air Inlet Assembly (for Helmets with Low Flow Indicators) NV2008 Latch Kit Helmet Liner size Medium NV2009 Helmet Liner size Large NV2009LH Helmet Liner size Small NV2009SH NV2009/10 Hygiene Kit (includes 2 alcohol wipes) size Medium NV2009/10LH Hygiene Kit (includes 2 alcohol wipes) size Large

NOVA 2000[®] continued

PAGE 92	PART #
Hygiene Kit (includes 2 alcohol wipes) size Small	NV2009/10SH
Side Wings (pair) size Medium	NV2010
Side Wings (pair) size Large	NV2010LH
Side Wings (pair) size Small	NV2010SH
Side Wings (pair, for wearers with glasses) size Medium	NV2010G
Side Wings (pair, for wearers with glasses) size Large	NV2010GLH
Side Wings (pair, for wearers with glasses) size Small	NV2010GSH
Inner Bib	NV2012
Cape Cover Band	NV2013
Tear-off Lens (pk 50)	NV2017
Inner Lens (pk 10)	NV2018
Tinted Inner Lens (pk 10)	NV2018-T
Supplied Air Breathing Tube (for Nova 2000®)	NV2021
Outer Lens 0.05mm thick (pk 50)	NV2031
Outer Lens 0.04mm thick (pk 50)	NV2031-015
Velstuds (pk 6)	NV2038
Domes (8 sets)	NV2041
Hand Strap	NV2042

NOVA 2000[®] TALK[™]

PAGE 98	PART #
Side Wings (pair, Intrinsically Safe)	09-812
Chest Harness	09-814
Raider High Noise Headset - Intrinsically Safe	09-815
Side Wings (pair, includes Headsel)	09-911
Side Wings (pair, without Headset)	09-912
Push to Talk Button	09-913
R-Tex High Noise Headset (includes PTT)	09-916
Motorola Connection Cable (two-pin)	09-930
Motorola Connection Cable (multi-pin)	09-931
Motorola Connection Cable (multi-pin)	09-932
Kenwood Connection Cable (two-pin)	09-933
Motorola Connection Cable (multi-pin)	09-934

NOVA 1®

PAGE 110	PART #
Window Gasket Seal	02-807
Inner Lens (pk 10)	02-810
Tinted Inner Lens (pk 10)	02-810-T
Outer Lens (pk 50)	02-811-015
Tear-off Lens (pk 50)	02-816
PX4 Air® Breathing Tube (for Nova 1®)	04-838
Helmet Dome Holder	NV1-123

NOVA 1[®] continued

		AJIKO	
PAGE 110	PART #	PAGE 130	PART #
Visor Kit	NV1-124	Visor Kit (includes Strap and Screws)	02-804
Visor Strap (pk 5)	NV1-125	Visor Strap (pk 5)	02-805
Helmet Liner size Medium	NV2009	Cleat and Screws	02-806
Helmet Liner size Large	NV2009LH	Window Gasket Seal	02-807
Helmet Liner size Small	NV2009SH	Suspension Clips (pk 4)	02-808
Hygiene Kit (includes 2 alcohol wipes) size Small	NV2009/10SH	Head Harness (NIOSH approved)	02-809
Hygiene Kit (includes 2 alcohol wipes) size Medium	NV2009/10	Head Harness (CE approved)	02-809CE
Hygiene Kit (includes 2 alcohol wipes) size Large	NV2009/10LH	Inner Lens (pk 10)	02-810
Side Wings (pair) size Small	NV2010SH	Tinted Inner Lens (pk 10)	02-810-T
Side Wings (pair) size Medium	NV2010	Outer Lens (pk 50)	02-811-015
Side Wings (pair) size Large	NV2010LH	Cape Cover Band	02-812
Side Wings (pair, for wearers with glasses) size Small	NV2010GSH	Nylon Respirator Cape	02-813
Side Wings (pair, for wearers with glasses) size Medium	NV2010G	Leather Respirator Cape	02-814
Side Wings (pair, for wearers with glasses) size Large	NV2010GLH	Tear-off Lens (pk 50)	02-816
Inner Bib	NV2012	Air Inlet Assembly	NV2006/7
Supplied Air Breathing Tube (for Nova 1®)	NV2021B	Air Inlet Assembly (for Helmets with Low Flow Indicators)	NV2006/7CE
Low Flow Indicator Assembly	NV2030	Inner Bib	NV2012
Velstuds (pk 6)	NV2038	Supplied Air Breathing Tube (for Astro™)	NV2021
Domes (8 sets)	NV2041	Low Flow Indicator Assembly	NV2030
Air Inlet	NV3-729	Domes (8 sets)	NV2041
Nylon Respirator Cape	NV3-750	Hand Strap	NV2042
Extra Length Nylon Respirator Cape	NV3-751		
Leather Respirator Cape	NV3-752	T-LINK [™]	
Extra Length Leather Respirator Cape	NV3-753	PAGE 140	PART #
Blast Jacket size XL	NV3-754	Supplied Air Breathing Tube (for T-Link™)	04-830
Blast Jacket size XXL	NV3-755	PX4 Air® Breathing Tube (for T-Link™)	04-835
Cape Cover Band	NV3-759	Peel-off Lens (pk 50)	07-123
		Helmet Shell	16-511

Leather Respirator Cape	NV3-/52		
Extra Length Leather Respirator Cape	NV3-753	PAGE 140	PART #
Blast Jacket size XL	NV3-754	Supplied Air Breathing Tube (for T-Link™)	04-830
Blast Jacket size XXL	NV3-755	PX4 Air® Breathing Tube (for T-Link™)	04-835
Cape Cover Band	NV3-759	Peel-off Lens (pk 50)	07-123
		Helmet Shell	16-511
NOVA 1® TALK™		Mounting Bracket (pair, includes screws)	16-518
		Side Padding System	16-520-S
PAGE 118	PART #	Fit System (includes 16-520-T, 16-521, 16-522,	
Side Wings (pair, Intrinsically Safe)	09-812	16-525, 16-526, 16-530, 16-531)	16-520-T
Chest Harness	09-814	Impact Absorber	16-521
Raider High Noise Headset - Intrinsically Safe	09-815	Comfort Pad	16-522
Side Wings (pair, includes Headset)	09-911	Head Harness System Bracket and Air Deflector	16-525
Side Wings (pair, without Headset)	09-912	Brow Pad	16-526
Push to Talk Button	09-913	Side Padding Frames	16-527
R-Tex High Noise Headset (includes PTT)	09-916	Foam Side Pads	16-528
Motorola Connection Cable (two-pin)	09-930	Ratchet Assembly	16-530
Motorola Connection Cable (multi-pin)	09-931	Head Harness (includes 16-530)	16-531
Motorola Connection Cable (multi-pin)	09-932	T-Link™ Hard Hat Assembly	17-010
Kenwood Connection Cable (two-pin)	09-933	T-Link™ Bump Cap Assembly	17-110
Motorola Connection Cable (multi-pin)	09-934	Tychem® 2000 Hood	17-712

ASTRO[™]

כוקח

T-LINK[™] continued

PAGE 140	PART #
Tychem [®] 2000 Hood with Safety Lens	17-712-S
Tychem [®] 4000 Hood with Sealed Seams	17-713
Tychem [®] 4000 Hood with Sealed Seams, Safety Lens	17-713-S
Lightweight Helmet Shell	17-511
Lens Clips (pair)	17-512

T100[™] SERIES

PAGE 152	PART #
PX4 Air® Breathing Tube (for T100™, includes 07-122)	04-836
Tychem [®] 2000 Hood	07-110
Tychem [®] 2000 Hood, Safety Lens	07-110-9
Tychem [®] 2000 Hood, Extra Length Bib	07-110->
Tychem [®] 2000 Hood, Extra Length Bib, Safety Lens	07-110-SX
Head Harness Mounting Clips (pk 2)	07-12 ⁻
Hose Clamp (Single Bond Nylon, 1-13/32)	07-122
Peel-off Lens (pk 50)	07-123
Tychem® 4000 Hood (chemical)	07-150
Tychem [®] 4000 Hood (chemical), Safety Lens	07-150-5
Tychem [®] 4000 Hood (chemical), Extra Length Bib	07-150->
Tychem® 4000 Hood (chemical),	
Extra Length Bib, Safety Lens	07-150-SX
Head Suspension	07-920
Brow Pad (for 07-920, pk 5)	07-924
Chin Strap (for 07-920 and 07-721)	07-926
Supplied Air Breathing Tube (for T100 [™] , includes 07-122)	NV2021F

T150[™] SERIES

PAGE 162	PART #
Supplied Air Breathing Tube (for T150™)	03-031
Swivel Air Filling Elbow	03-032
PX4 Air® Breathing Tube (for T150™)	04-839
Visor and Rubber Face Seal	11-910
Visor and Silicone Face Seal	11-910-S
Inner Face Seal	11-911
Inhalation Valves	11-912
Clamping Band	11-913
Visor and Valves	11-914
TPR Face Seal	11-916
Silicone Face Seal	11-916-S
Tear-off Lens (pk 50)	11-924
Rubber Head Suspension	11-933
Comfort Nylon Head Suspension	11-934
Breathing Tube Bracket	11-948

PX4 AIR® PAPR

PAGE 172	PART #
Fan Housing	03-911
Fan Housing - Low Flow	03-912
Filter Door	03-921
Door Cover	03-922
Door Latch	03-923
Belt Loops (pair)	03-924
OV Housing Cover	03-925
Complete Charger Kit - US	03-950
Complete Charger Kit - AU/NZ	03-950-AU
Complete Charger Kit - EU	03-950-EU
Complete Charger Kit - UK	03-950-UK
Battery Charger	03-951
24 Volt Power Supply Unit	03-952
Battery	03-955
Belt Supports (pair)	03-965
Pre-filter (pk 10)	03-981
Spark Arrestor	03-982
P100 Filter Cartridge	03-985
OV Prefilter (pk 10)	03-991
OV Spark Arrestor	03-992
OV Cartridge	03-995
Flow Meter	04-091
PX4 Air® Breathing Tube (for Z-Link®, T-Link™)	04-835
PX4 Air [®] Breathing Tube (for T100 [™] , Z100 [™])	04-836
PX4 Air® Breathing Tube (for Z4™)	04-837
PX4 Air® Breathing Tube (for Nova 3®, Nova 1®)	04-838
PX4 Air® Breathing Tube (for Z3™, T150™)	04-839
2" Belt with Nylon Buckle	07-765
2" NOMEX® Belt with Acetal Buckle	07-765-FR
Power Cable - US	09-021
Power Cable - AU/NZ	09-021-AU
Power Cable - EU	09-021-EU
Power Cable - UK	09-021-UK

GX4® GAS MONITOR

PAGE 182	PART #
12 Volt Cable with Battery Clips	08-227-H
Aluminum Wall Bracket	08-231
Gas Sensor Cartridges - Carbon Monoxide 10ppm	08-420-01
Gas Sensor Cartridges - Carbon Monoxide 5ppm	08-420-02
Gas Sensor Cartridges - Hydrogen Sulfide 10ppm	08-420-03
Gas Sensor Cartridges - Oxygen 19.5% - 23%	08-420-04
Blank Sensor Case	08-420

GX4® GAS MONITOR continued

	D4.DT //		
PAGE 182	PART #	PAGE 194	PART #
Sensor Manifold Tube	08-422	1" x 1/2" Reducing Nipple	04-926
Heavy Duty Field Case	08-424	Mainline Pre-filter	04-927
Mounting Bracket (pair)	08-425	Brass Elbow	04-928
Air Supply Hose and One Touch Connector	08-428	Filter Element (for 04-927 Mainline Pre-filter)	04-929
M5 Inlet Filter, Sintered Brass	08-429	Micro Mist Element (for 04-925 Micro Mist Filter)	04-930
Power Adapter Pack - US	08-430		
Power Adapter Pack - AS/NZ	08-430-AU	Auto Drain Assembly (for 04-924 Auto Drain Unit)	04-931
Power Adapter Pack - UK	08-430-UK	Parts Bag for Radex (04-900)	04-932
Power Adapter Pack - EU	08-430-EU	Claw Coupler	04-951
12 Volt Cable with Battery Clips	08-431	1/2" NPT Hex Connector	04-952
Auxiliary Cable 50' with Bare End	08-434	Six Man Upgrade Kit	04-960
Auxiliary Strobe Light with 50' Cable	08-435	Six Outlet Filter Lid	04-961
Auxiliary Strobe and Alarm Tower with 50' Cable	08-436	Super High Flow Regulator (includes Gauge 04-915)	04-962
Calibration Adapter	08-450		
Calibration Flow Regulator 1.5 SLPM (includes 08-450, for Zero Air and CO gas bottles)	08-451	1/4" Coupler 3/8" MNPT (to fit 04-965 Manifold)	04-964
······	00-451	Six Outlet Manifold	04-965
Calibration Flow Regulator 1.5 SLPM (includes 08-450, for H ₂ S gas bottles)	08-452	1" NPT Hex Connector	04-966
Zero Air	08-460	Replacement Filter Cartridge (generic)	AFC100
CO 20ppm in Air	08-461	Replacement Radex® Filter Cartridge	APF3100
H _a S 20ppm in Nitrogen	08-462	Inlet Filter Element	9700-01
External Flow Regulator	08-470	Exhaust Filter Element	9700-02
External Flow Regulator with RZ Fittings	08-470-RZ	Pressure Relief Valve	9700-03
Power Cable - US	09-021	Pressure Gauge	9700-04
Power Cable - AU/NZ	09-021-AU	Inlet Filter Assembly (includes 9700-01)	9700-08
Power Cable - UK	09-021-UK	Exhaust Filler Canister	9700-15
Power Cable - EU	09-021-EU	1/2" Hansen Coupler	9700-72AD

RADEX® AIRLINE FILTER

PART #	AIR SUPPLY	
ifold) 03-053-CM-RZ	PAGE 204	PART #
04-911	Quick Release Schrader Coupler 1/4" Female Thread	03-042-CF
04-912	Quick Release Schrader Tail 1/4" Female Thread	03-042-PF
04-913	25' Breathing Air Supply Hose 3/8" Diameter	
04-914	With RZ Fittings	04-352-25-RZ
04-915	50' Breathing Air Supply Hose 3/8" Diameter	
04-916	With RZ Fittings	04-352-50-RZ
04-917	100' Breathing Air Supply Hose 3/8" Diameter	
04-918	With RZ Fittings	04-352-100-RZ
04-919	1/2" Hansen Coupler	9700-72AD
04-920	Quick Release 3/8" Hose Tail	NV2024
04-921	Quick Release Coupler 1/4" Female Thread	NV2025
04-922	100' Breathing Air Supply Hose 3/8" Diameter	
04-923	(includes Quick Release Fillings)	NV2027
04-924	25' Breathing Air Supply Hose 3/8" Diameter	
04-925	(includes Quick Release Fittings)	NV2028
	04-911 04-912 04-913 04-914 04-915 04-915 04-917 04-918 04-919 04-919 04-920 04-921 04-922 04-922 04-923	PART #PAGE 204Ifold) 03-053-CM-RZDate 20404-911Quick Release Schrader Coupler 1/4" Female Thread04-912Quick Release Schrader Tail 1/4" Female Thread04-91325' Breathing Air Supply Hose 3/8" Diameter04-914With RZ Fittings04-91550' Breathing Air Supply Hose 3/8" Diameter04-916With RZ Fittings04-917100' Breathing Air Supply Hose 3/8" Diameter04-918With RZ Fittings04-9191/2" Hansen Coupler04-920Quick Release 3/8" Hose Tail04-921Quick Release Coupler 1/4" Female Thread04-922100' Breathing Air Supply Hose 3/8" Diameter04-923(includes Quick Release Fittings)04-92425' Breathing Air Supply Hose 3/8" Diameter



RADEX® AIRLINE FILTER continued

AIR SUPPLY

כלקי

AIR SUPPLY continued

PAGE 204	PART #
50' Breathing Air Supply Hose 3/8" Diameter (includes Quick Release Fittings)	NV2029
3/8" Hose Tail 1/4" Male Thread	NV2033
50' Breathing Air Supply Hose 1/2" Diameter (includes Quick Release Fittings')	NV2035
100' Breathing Air Supply Hose 1/2" Diameter (includes Quick Release Fittings')	NV2036

C40[™] CLIMATE CONTROL DEVICE

PAGE 212	PART #
1/4" Plug to 1/4" NPT Male Swivel	03-012-PMS
1/4" Safety Plug to 1/4" NPT Male Swivel	03-022-PMS
1/4" Male Thread RZ Coupler Swivel Plug	03-052-PMS-RZ
U Tube Assembly	03-510
Bottom Case	03-514
Top Case Assembly	03-521
Exhaust Assembly	03-522
Silencer Assembly	03-526
Inlet Collar	03-536
Silencers (pair)	03-537
Belt Loop	03-538
Belt	NV2022

FLOW CONTROL

PAGE 218	PART #
Schrader Plug to 1/4" NPT Male Thread	03-042-PM
Constant Flow Valve Assembly (NIOSH approved)	03-101
Constant Flow Valve Assembly (CE approved)	03-102
Constant Flow Valve - Low Pressure	03-106
Adaptor 1/4" RPB® Plug to 3/8" NPT Male Thread	03-111
Cold Air Tube Assembly (NIOSH approved)	4000-01
Cold Air Tube Assembly (CE approved, includes Temperature Shield and Swivel Connector)	4000-01CE
Cold Air Tube Assembly with GHT Threads	4000-02
Top Thread Cap BSP Thread (for 4000-01)	4000-03
Top Thread Cap GHT Thread (for 4000-20)	4000-03GHT
Cold Air Spinner	4000-04
Cool Air Tube Body	4000-05B
Hot Air Tube Body	4000-05R
Quick Release Tail 1/4" Male Thread	4000-06
Breaker	4000-07
Regulator Body	4000-08
Spindle and Knob	4000-09
Locking Screw	4000-10
Regulator Assembly	4000-11

FLOW CONTROL continued

PAGE 218	PART #
Temperature Shield	4000-12
Hot Air Spinner	4000-13
Flow Reducer	4000-14
Outlet Valve	4000-15
Silencer Disc	4000-16
Silencer Disc - Brass	4000-16B
Retainer Nut	4000-17
Outlet Valve Complete Assembly	4000-18
Outlet Valve (for 4000-40)	4000-38
Hot Air Tube Assembly (NIOSH approved)	4000-20
Hot Air Tube Assembly (CE approved)	4000-20CE
Silenced Cool Air Tube Assembly	4000-40
Constant Flow Valve - Low Pressure	NV2015
Flow Control Valve (NIOSH approved)	NV2016
Flow Control Valve (CE approved)	NV2016CE
Belt Complete with Buckles	NV2022
Adapter 1/2" Low Pressure Plug to 3/8" NPT Male Thread	NV2034

BLAST SUIT

PAGE 228	PART #
Blast Suit size Small	07-755-S
Blast Suit size Medium	07-755-M
Blast Suit size Large	07-755-L
Blast Suit size XL	07-755-XL
Blast Suit size XXL	07-755-XXL
Blast Suit size XXXL	07-755-XXXL
Blast Suit size XXXXL	07-755-XXXXL

SAFETY ESSENTIALS

PAGE 232	PART #
Do-Rag	05-613
Head Sock	05-601
Leather Blasting Gloves	07-701
Knee Pads (pair)	07-761
Safety Glasses - Clear	18-221-C
Safety Glasses - Smoked	18-221-S
Plus Safety Glasses - Clear	18-241-C
Plus Safety Glasses - Smoked	18-241-S
Ultra Safety Glasses - Clear	18-261-C
Ultra Safety Glasses - Smoked	18-261-S
S100™ Ear Plugs (200 pairs)	18-322
Earmuffs (NRR 28)	18-513

1-866-494-4599 | rpbsafety.com



